

## Ultra Industrial Design


M9200 has exquisite industrial design with unique base design that enables the terminal to be used in more scenarios.

## Simplify Operation Process

With the fully GMS certified google services, the terminal is capable of the use and development of all third-party applications, then we can offer a seamless, personalized experience across all channels in daily business running.

## High-function Printing

The first terminal to support label printing in Zolon family. Via the dual-printing mode and high voltage printer, the terminal can fit in more business and non-business scenarios.





# Elys Note Specifications

Model Name: M9200



## Operating System

Android 12 Go Edition  
GMS Certified  
with Supporting Uniphiz



## Processor

Qualcomm Quad-Core  
Cortex® - A53 2.0GHz



## Memory

LPDDR4 2GB + eMMC 16GB  
Optional: LPDDR4 2GB + eMMC 32GB,  
LPDDR4 1GB + eMMC 8GB  
External: microSD Card slot (Up to 256GB)



## Buttons

Power Button  
2\*Volume Buttons  
Scan Button



## Printer

Paper Roll: 58mm width, 40mm diameter  
Optional: Label Printing, Paper Roll: 30-58mm width, 40mm diameter



## Cameras

Optional: Front Camera: 2MP Fix Focus  
Rear Dual-Camera: 2MP Auto Focus (Optional: 5MP) + Barcode Scanner



## Physical

214 × 80 × 51.5mm  
350g



## Displays

5.5" 720 × 1440 px, IPS LCD,  
400nits, Multi - Touch,  
Anti - Fingerprint coating,  
Mohs 6



## Card Readers

Native Android NFC  
(Card Reader, Card Emulation)



## SIM/SAM

2\*SAM + 1\*SIM,  
or 1\*SAM + 2\*SIM  
eSIM (optional)



## Battery

Li-ion Polymer  
7.6V / 2800mAh,  
Field Replaceable



## Comms Configurations

4G / 3G / GPRS  
Wi-Fi® 2.4GHz / 5GHz  
**Bluetooth® 5.0**



## Environmental

Operating Temperature: -10°C ~ 45°C (14°F ~ 113°F)  
Storage Temperature: -20°C ~ 70°C (-4°F ~ 158°F)  
Relative Humidity: 5% ~ 96%, non-condensing



## Sensors

Light Sensor | G-Sensor |  
Vibration Motor |  
Flashlight



## Positioning

AGPS | GPS | GLONASS |  
BEIDOU | Galileo



## Power

Input: 100 - 240V AC, 0.5A  
Output: 5.0V DC, 2.0A



## Accessories

Optional: Wrist Band | Charging Base |  
Rugged Case



## Audio

Audio Speaker  
Optional: Dual Microphone



## Ports

1\*USB Type-C, OTG  
1\*Pogo Pin (2-Pin)





# Elys Note Specifications

Model Name: M9200 N



## Operating System

Android 12 Go Edition  
GMS Certified  
with Supporting Uniphiz



## Processor

Qualcomm Quad-Core  
Cortex® - A53 2.0GHz



## Memory

LPDDR4 2GB + eMMC 16GB  
Optional: LPDDR4 2GB + eMMC 32GB,  
LPDDR4 1GB + eMMC 8GB  
External: microSD Card slot (Up to 256GB)



## Buttons

Power Button  
2\*Volume Buttons  
Scan Button



## Cameras

Optional: Front Camera: 2MP Fix Focus  
Rear Dual-Camera: 2MP Auto Focus (Optional: 5MP) + Barcode Scanner



## Displays

5.5" 720 x 1440 px, IPS LCD, 400nits, Multi - Touch,  
Anti - Fingerprint coating,  
Mohs 6



## Physical

160 x 76 x 15mm  
235g



## Card Readers

Native Android NFC  
(Card Reader, Card  
Emulation)



## Battery

Li-ion Polymer  
7.6V / 2000mAh,  
Field Replaceable



## SIM/SAM

2\*SIM



## Comms Configurations

4G / 3G / GPRS  
Wi-Fi® 2.4GHz / 5GHz  
Bluetooth® 5.0



## Environmental

Operating Temperature: -10°C ~ 45°C (14°F ~ 113°F)  
Storage Temperature: -20°C ~ 70°C (-4°F ~ 158°F)  
Relative Humidity: 5% ~ 96%, non-condensing



## Sensors

Light Sensor | G-Sensor |  
Vibration Motor |  
Flashlight



## Positioning

AGPS | GPS | GLONASS |  
BEIDOU | Galileo



## Power

Input: 100 - 240V AC, 0.5A  
Output: 5.0V DC, 2.0A



## Accessories

Optional: Wrist Band | Charging Base |  
Rugged Case



## Audio

Audio Speaker  
Optional: Dual Microphone



## Ports

1\*USB Type-C, OTG  
1\*Pogo Pin (2-Pin)

